

WINDOWS / DOORS



RW Fusion

The innovation in vehicle window segment! The RW Fusion window combines a real glass pane on the outside with an acrylic glass inner pane.

Acrylic safety glass hinged window RW Fusion

Detail W x H (mm)	Outer dim. W x H (mm)	Viewing W x H (mm)	Max. Opening	(kg)	Item no.	Price
350x500	378x528	290x430	60°	3,0	318019	266,-
500x300	528x328	440x260	68°	2,9	318030	260,-
500x450	528x478	440x390	55°	4,5	318031	302,-
700x300	728x328	640x240	68°	4,0	318032	302,-
800 x 450	828x478	740x390	50°	6,1	318033	377,-
900 x 450	928x478	840x390	50°	6,9	318034	392,-



NEW

All information on the product can be found on page 663.



Safety glass window for Ford 710

Ford V710 > 2023			Rigid windows			Sliding window		
Position	Wheelbase	Outer dim. W x H (mm)	(kg)	Item no.	Price	(kg)	Item no.	Price
	SWB + LWB	1209x561	6,5	316001	207,-	8,5	316015	370,-
	SWB + LWB	1209x561	6,5	316000	207,-	8,5	316016	370,-
	SWB + LWB	1229x561	6,5	316002	207,-	8,5	316017	370,-
	SWB	919x515	5,5	316007	185,-	—	—	—
	LWB	1319x515	7,0	316009	239,-	—	—	—
	SWB	919x515	5,5	316006	185,-	—	—	—
	LWB	1319x515	7,0	316008	239,-	—	—	—
	SWB + LWB	779x477	4,0	316019	207,-	—	—	—
	SWB + LWB	779x477	4,0	316018	207,-	—	—	—



NEW

All information on the product can be found on page 557.



UniFrame - Window inner frame with blackout and mosquito blind


Window cut-out dimension W x H (mm)	Outer dim. W x H (mm)	Internal dims. W x H (mm)	Item no.	Price
500x300	530x360	447x219	37849	95,90
500x450	530x510	447x369	37845	104,-
700x300	730x360	647x219	37846	113,-
800x450	830x510	747x369	37847	130,-
900x450	930x510	847x369	37848	139,-



NEW

All information on the product can be found on page 568.

Safety glass windows.....	554 - 561, 563, 571	Fly screens/insect protection.....	601 - 608
Acrylic glass window.....	561 - 572	Curtains for cabin/living space.....	609
Special windows/Portholes.....	573	Blackout systems.....	610 - 613
Pleated blinds / roller blind systems.....	574 - 575	Thermal mats.....	614 - 619
Window spare parts.....	576 - 578	Thermal curtains for vans.....	619 - 620
Roof hatch.....	579 - 592	Vehicle insulation/outside protection.....	621 - 624
Fans/vents.....	593	Tent bellows and cab insulation.....	625
Roof hatch spare parts.....	594 - 595	Caravan insulation.....	626
Wind deflectors.....	596	Body doors / flaps.....	627 - 630
Rain gutters.....	597	Hold-open for doors and flaps.....	631
Ventilation grille.....	598 - 600	Locks.....	632 - 635



Rear windows without wiper holes

Safety glass window for Volkswagen Caddy/Ford Connect



Volkswagen Caddy Maxi > 2021 / Ford Tourneo Connect > 2022

Installation position	Wheelbase	Outer dim. W x H (mm)	Sliding window		
			Weight (kg)	Item no.	Price
	LWB	970x493	6,0	316026	294,-
	LWB	970x493	6,0	316027	294,-
	LWB	830x470	5,5	316034	283,-
	LWB	830x471	5,5	316033	283,-

Volkswagen Caddy Maxi 2008-2020

Installation position	Wheelbase	Outer dim. W x H (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	LWB	714x538	3,7	316021	96,50	4,7	31618	249,-
	LWB	714x538	3,7	316020	96,50	4,7	31617	250,-
	LWB	1044x545	5,5	31605	130,-	—	—	—
	LWB	1044x545	5,5	31604	130,-	—	—	—
	LWB	591x504	3,0	316023	207,-	—	—	—
	LWB	750x596	4,3	316022	207,-	—	—	—


Volkswagen Caddy/Maxi 2015-2020

Installation position	Wheelbase	Outer dim. W x H (mm)	Rear window		
			Weight (kg)	Item no.	Price
	SWB + LWB	1377x588	9,0	316025	250,-

Volkswagen Caddy/Maxi 2004-2016

Installation position	Wheelbase	Outer dim. W x H (mm)	Rear window		
			Weight (kg)	Item no.	Price
	SWB + LWB	1257x591	9,0	316024	239,-

Safety glass window for Citroën Jumpy 3 / Spacetourer / Peugeot Expert 3 / Traveller / Toyota Proace 2 / Proace Verso Opel Vivaro / Zafira Life (> 2017) Fiat Scudo / Ulysse (> 2022)




Installation position	Wheelbase	Outer dim. W x H (mm)	Rigid windows			Sliding window		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	SWB + LWB	1100x541	—	—	—	7,0	31701	278,-
	SWB + LWB	1100x541	—	—	—	7,0	31700	278,-
	SWB	851x534	4,0	31708	108,-	—	—	—
	SWB	851x534	4,0	31709	108,-	—	—	—
	LWB	1175x534	6,0	31705	141,-	7,5	31703	326,-
	LWB	1175x534	6,0	31704	141,-	7,5	31702	326,-
	SWB + LWB	675x495	3,5	31707	207,-	—	—	—
	SWB + LWB	735x495	3,5	31706	207,-	—	—	—

Safety glass window for Volkswagen Transporter 4 / 5 / 6 / 6.1



Sliding window with integrated metal mosquito net

Volkswagen Transporter 5/6/6.1 > 2004			Sliding window		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price
	SWB + LWB	1135x585	9,0	315931	300,-
	SWB + LWB	1135x585	9,0	315930	300,-



Sliding window without mosquito net

Volkswagen Transporter 5/6/6.1 > 2004			Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	SWB + LWB	1135x585	6,5	315910	125,-	8,0	31591	250,-
	SWB + LWB	1135x585				8,0	31590	250,-
	SWB	922x572	5,0	31599	119,-	6,5	315911	250,-
	SWB	922x572	5,0	31598	108,-	6,5	315900	250,-
	LWB	1257x570	6,8	315990	133,-	8,3	315912	261,-
	LWB	1257x570	6,8	315980	133,-	8,3	315901	261,-
	SWB + LWB	729x579	4,0	316004	152,-		—	
	SWB + LWB	729x579	4,0	316003	152,-		—	



Volkswagen Transporter 4, 1990-2004			Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	SWB + LWB	1126x523		—		7,5	31503	244,-
	SWB + LWB	1126x523		—		7,5	31504	244,-
	SWB	967x522	5,0	31505	112,-		—	
	SWB	967x522	5,0	31506	112,-		—	



Volkswagen Transporter 6/6.1 > 2016			Rear window		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price
	SWB + LWB	1544x562	8,0	31600	261,-

Volkswagen Transporter 5 2004-2016			Rear window		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price
	SWB + LWB	1445x575	8,0	316005	217,-




Rear windows without wiper holes




Rear windows without wiper holes

Safety glass windows for Mercedes-Benz Vito



Mercedes-Benz Vito 2004-2014			Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	SWB/MWB/LWB	1096x565	6,0	31511	130,-	7,5	31521	294,-
	SWB/MWB/LWB	1096x565	6,0	31510	130,-	7,5	31520	294,-
	SWB	1169x521	7,5	31523	130,-	—	—	—
	SWB	1169x521	7,5	31522	130,-	—	—	—
	LWB	1296x521	6,5	31513	171,-	—	—	—
	LWB	1296x521	6,5	31512	171,-	—	—	—

Mercedes-Benz Vito > 2015			Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	SWB/MWB/LWB	1100x570	6,0	315962	152,-	7,5	31597	239,-
	SWB/MWB/LWB	1100x570	6,0	315961	152,-	7,5	31596	261,-
	MWB	1195x531	6,0	315970	119,-	—	—	—
	MWB	1195x531	6,0	315960	152,-	—	—	—
	LWB	1300x529	6,6	315966	119,-	8,1	315964	276,-
	LWB	1300x529	6,6	315965	119,-	8,1	315963	276,-



Safety glass window for Renault Trafic / Nissan NV300 / Nissan Primastar / Ford Transit Custom

Renault Trafic 2002-2015			Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	SWB + LWB	1193x665	—	—	—	9,0	316012	270,-
	SWB + LWB	1193x665	—	—	—	9,0	316011	270,-
	SWB + LWB	670x623	4,0	315914	130,-	—	—	—
	SWB + LWB	670x623	4,0	315913	130,-	—	—	—












Renault Trafic/Nissan NV300 > 2015 Nissan Primastar > 2022			Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	SWB + LWB	1116x598	6,5	316010	119,-	9,0	31593	232,-
	SWB + LWB	1116x598	—	—	—	9,0	31592	232,-
	SWB	919x571	5,0	31602	108,-	—	—	—
	SWB	919x571	5,0	31601	108,-	—	—	—
	LWB	1319x579	7,5	316014	130,-	—	—	—
	LWB	1319x579	7,5	316013	130,-	—	—	—
	SWB + LWB	670x623	4,0	315914	130,-	—	—	—
	SWB + LWB	670x623	4,0	315913	130,-	—	—	—

Ford Transit Custom 7/2013-2022			Rigid windows			Sliding window		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	SWB + LWB	1199x566	—	—	—	8,0	31595	395,-
	SWB + LWB	1208x566	—	—	—	8,0	31594	395,-

ATTENTION: **Does not fit vehicles with left-hand sliding door.

Safety glass window for Ford 710

SAFETY
GLASSLIGHTTHROUGH
TRANSMISSION:
18%E
ECE R43

Ford V710 > 2023			Rigid windows 			Sliding window 		
Installation position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	SWB + LWB	1209x561	6,5	316001	207,-	8,5	316015	370,-
	SWB + LWB	1209x561	6,5	316000	207,-	8,5	316016	370,-
	SWB + LWB	1229x561	6,5	316002	207,-	8,5	316017	370,-
	SWB	919x515	5,5	316007	185,-	—	—	—
	LWB	1319x515	7,0	316009	239,-	—	—	—
	SWB	919x515	5,5	316006	185,-	—	—	—
	LWB	1319x515	7,0	316008	239,-	—	—	—
	SWB + LWB	779x477	4,0	316019	207,-	—	—	—
	SWB + LWB	779x477	4,0	316018	207,-	—	—	—



Rear windows without wiper holes

For the installation of safety glass windows we recommend:

① Activator 205, colorless adhesive cleaner for cleaning adhesive surface

Solvent-based, application in combination with Sika adhesives/sealants. 30 ml

Danger: H225, H319, H336 GP 47,33/100 ml 294100 14,20

② SikaTack DRIVE Purform adhesive set, for Bonding of safety glass panes

1-2 sets are needed for the installation of a vehicle window. Set cont.: 1x SikaTack DRIVE Purform (300 ml cartridge), 1x can of Sika Primer-507 (30 ml), 2x Sika Cleaner PCA Pad, 1x appl. nozzle.

Danger: H334 294842 46,80

③ Edge cover profile, for covering unsightly cut edges on sheet metal.

Small clamping range: 0.5-1.5 mm

5 m, black GP* 3,26/ 1 m 294559 16,30

10 m, schwarz GP* 3,26/ 1 m 294551 32,60

Large clamping range: 1.5-4.0 mm

10 m, black GP* 8,71/ 1 m 294560 87,10



ATTENTION: **Does not fit vehicles with left-hand sliding door.



SAFETY GLASS













LIGHTTHROUGH-TRANSMISSION: 18%

E
ECE R43











Fiat Ducato Citroën Jumper Opel Movano

**F. Ducato/P. Boxer/C. Jumper > 2007
O. Movano > 2021**

Installation position	Vehicle lengths (mm)	Outer dim. W x H (mm)	Rigid windows 			Sliding window 		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5413/5998/6363	1400x665	9,0	316190	174,-	10,5	31619	281,-
 **	5413/5998/6363	1434x665	9,0	316200	174,-	10,5	31620	281,-
	5998/6363	1360x585	8,5	316220	174,-	9,5	31622	305,-
	5998/6363	1360x585	8,5	316210	174,-	9,5	31621	305,-
	6363	1128x665	7,3	316230	163,-	8,5	31623	266,-
	6363	1128x665	7,3	316240	163,-	8,5	31624	266,-
	4963/5413/5998/6363	826x665	5,3	31625	107,-	—	—	—
	4963/5413/5998/6363	826x665	5,3	31626	107,-	—	—	—
 270°	4963/5413/5998/6363 (For 270° door hinges)	826x670	5,3	31627	118,-	—	—	—
 270°	4963/5413/5998/6363 (For 270° door hinges)	826x670	5,3	31628	118,-	—	—	—




Mercedes-Benz Sprinter > 2007

Installation position	Vehicle lengths (mm)	Outer dim. W x H (mm)	Rigid windows 			Sliding window 		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5910/6945/7345	1405x766	—	—	—	12,0	315002	356,-
 **	5910/6945/7345	1408x766	—	—	—	12,0	315003	356,-
	6945/7345	1416x706	10,5	315001	185,-	—	—	—
	6945/7345	1422x766	10,5	315000	185,-	—	—	—
Mercedes-Benz Sprinter 2007-2018								
	5910/6945/7345	818x800	6,3	315004*	196,-	—	—	—
	5910/6945/7345	818x800	6,3	315005*	196,-	—	—	—



Mercedes-Benz Sprinter Sprinter









Mercedes-Benz Sprinter > 2019

Installation position	Vehicle lengths (mm)	Outer dim. W x H (mm)	Rigid windows 		
			Weight (kg)	Item no.	Price
	5932/6977/7367	775x775	6,0	315006	211,-
	5932/6977/7367	775x775	6,0	315007	211,-











* 315004/315005 Windows have cut-out for Mercedes-Benz or Volkswagen logo

* 315004/315005 Windows have cut-out for Mercedes-Benz or Volkswagen logo

Volkswagen Crafter 2007-2016

Installation position	Vehicle lengths (mm)	Outer dim. W x H (mm)	Rigid windows 			Sliding window 		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5910/6945/7345	1405x766	—	—	—	12,0	315002	356,-
 **	5910/6945/7345	1408x766	—	—	—	12,0	315003	356,-
	6945/7345	1416x706	10,5	315001	185,-	—	—	—
	6945/7345	1422x766	10,5	315000	185,-	—	—	—
	5910/6945/7345	818x800	6,3	315004*	196,-	—	—	—
	5910/6945/7345	818x800	6,3	315005*	196,-	—	—	—

Volkswagen Crafter > 2017









Installation position	Vehicle lengths (mm)	Outer dim. W x H (mm)	Rigid windows 			Sliding window 		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5986/6836/7391	1488x713	—	—	—	11,5	31710	403,-
 **	5986/6836/7391	1492x713	—	—	—	11,5	31711	403,-
	6836/7391	1455x637	—	—	—	11,0	31712	403,-
	6836/7391	1455x702	—	—	—	11,5	31713	403,-
	6836/7391	883x682	—	—	—	7,5	31714	381,-
	6836/7391	883x682	—	—	—	7,5	31715	381,-
	5986/6836/7391	776x649	5,0	31716*	169,-	—	—	—
	5986/6836/7391	776x649	5,0	31717*	169,-	—	—	—

* 31716/31717 Windows have cut-out for Volkswagen logo



Volkswagen Crafter

Ford Transit V 363 > 2014

Installation position	Vehicle lengths (mm)	Outer dim. W x H (mm)	Rigid windows 			Sliding window 		
			Weight (kg)	Item no.	Price	Weight (kg)	Item no.	Price
	5531/5981/6704	1369x754	—	—	—	11,0	31730	381,-
 **	5531/5981/6704	1369x754	—	—	—	11,0	31731	381,-
	5981/6704	972x723	8,0	31732	261,-	—	—	—
	5981/6704	977x729	8,0	31733	239,-	—	—	—
	5981	672x718	5,5	31734	239,-	—	—	—
	5981	672x718	5,5	31735	239,-	—	—	—



Ford Transit V 363



Stainless steel levers MADE IN GERMANY



SAFETY GLASS	LIGHTTHROUGH-TRANSMISSION: 18%	2 STEP-LESS EXHIBITORS	MIT 2 LOCKING BOLTS	WITH VENTILATION POSITION	ECE R43
---------------------	---------------------------------------	-------------------------------	----------------------------	----------------------------------	----------------

Volkswagen Transporter 5 / 6 / 6.1 > 2004				Hinged windows		
Installation position	Wheelbase	Outer dim. W x H (mm)	Viewing approx. W x H (mm)	Weight (kg)	Item no.	Price
SWB + LWB	SWB + LWB	1135x585	730x360	12,0	315916	551,-
** SWB + LWB	SWB + LWB	1135x585	730x360	12,0	315915	551,-

Optional Blackout system

	External dims. (mm)	842x492	Item no. 3181008	Preis 124,-
	External dimensions (mm)	830x440	Item no. 3181012	Preis 124,-



Ford V710 > 2023				Hinged windows		
Installation position	Wheelbase	Outer dim. W x H (mm)	Viewing approx. W x H (mm)	Weight (kg)	Item no.	Price
SWB + LWB	SWB + LWB	1209x561	620x245	12,0	315917	653,-
SWB + LWB	SWB + LWB	1209x561	620x245	12,0	315920	653,-
** SWB + LWB	SWB + LWB	1219x561	620x245	12,0	315918	653,-

NEW



Fiat Ducato > 2007				Hinged windows		
Installation position	Wheelbase	Outer dim. W x H (mm)	Viewing approx. W x H (mm)	Weight (kg)	Item no.	Price
SWB + LWB	SWB + LWB	1400x665	920x370	14,7	315921	653,-
SWB + LWB	SWB + LWB	1434x665	920x370	14,7	315922	653,-

NEW



Mercedes-Benz Sprinter > 2007				Hinged windows		
Installation position	Wheelbase	Outer dim. W x H (mm)	Transparency app. W x H (mm)	Weight (kg)	Item no.	Price
SWB + LWB	SWB + LWB	1405x766	940x380	15,6	315923	708,-
SWB + LWB	SWB + LWB	1408x776	940x380	15,6	315924	708,-

NEW



SAFETY GLASS WINDOW RW ECO / RW MOTION



Window frames with special integrated struts offers decisive advantages:

- Lower thermal conductivity
- Reduction of the Moisture condensation
- Reduces energy losses
- Has noise-reducing effect



Stainless steel levers



OPTIONAL

Blackout system w/ privacy & mosquito protection Pleated blind w/ magnetic closure. NEW: With matt black frame and black pleated blinds in a very high-quality look.

Tinted security glass windows RW Eco

SAFETY GLASS	LIGHT THROUGH TRANSMISSION: 20%	WITH VENTILATION-POSITION	EXHIBITOR STEPLESS (STAINLESS STEEL)	MATERIAL FRAME: ALUMINIUM	FOR WALL-THICKNESS FROM 30-32 mm	CORNER RADIUS WINDOW-FRAME: 75 mm	ECE R43
---------------------	--	----------------------------------	---	----------------------------------	---	--	----------------

Detail W x H (mm)	Outer dim. W x H (mm)	Review W x H (mm) app.	Max. Opening	kg	Item no.	Price
350x500	397x554	245x435	50°	2,8	31880	174,-
500x300	547x354	395x250	34°	2,6	318810	152,-
500x350	547x404	395x300	35°	2,8	31889	166,-
500x450	547x504	395x400	57°	3,3	31882	193,-
600x450	647x504	495x400	56°	4,5	31870	207,-
700x300	747x354	595x250	34°	3,4	318813	181,-
700 x 400	747x454	595x350	42°	4,5	31871	215,-
700 x 450	747x504	595x400	57°	4,7	31872	224,-
800 x 450	847x504	695x400	54°	5,2	31884	272,-
900 x 450	947x504	795x400	57°	5,6	31885	275,-
900 x 500	947x554	795x450	51°	6,3	31886	275,-
1000x500	1047x554	895x450	51°	6,8	31887	288,-

RW Eco blackout system

OPTIONAL AVAILABLE	DARKENING PLISSEE	MOSQUITO-PROTECTION PLISSEE	MATERIAL FRAME: ALUMINIUM
---------------------------	--------------------------	------------------------------------	----------------------------------

Outer dim. W x H (mm)	Item no.	Price	Item no.	Price
381x546	318801	91,50	318802	101,-
531x346	318811	83,90	318812	99,10
531x396	318891	92,60	318892	98,-
531x496	318821	94,80	318822	105,-
631x496	318701	91,50	318702	106,-
731x346	318831	104,-	318832	102,-
731x446	318711	102,-	318712	99,10
731x496	318721	101,-	318722	115,-
831x496	318841	113,-	318842	130,-
931x496	318851	114,-	318852	133,-
931x546	318861	126,-	318862	139,-
1031x546	318871	123,-	318872	144,-



OPTIONALLY

Blackout system with privacy and Mosquito protection pleated blind with magnetic closure

Tinted security glass windows RW Motion

SAFETY GLASS	DOUBLE GLAZED	LIGHT THROUGH TRANSMISSION: 20%	LEFT AND RIGHT MOUNTABLE	MATERIAL FRAME: ALUMINIUM	FOR WALL-THICKNESS FROM 30 mm	CORNER RADIUS WINDOW-FRAME: 87 mm	ECE R43
---------------------	----------------------	--	---------------------------------	----------------------------------	--------------------------------------	--	----------------

Detail W x H (mm)	Outer dim. W x H (mm)	Viewing W x H (mm)	Weight (kg)	Item no.	Price
500x300	528x328	380x225	4,8	31657	162,-
500x350	528x378	380x275	6,5	31650	163,-
500x450	528x478	380x375	6,6	31654	190,-
600x350	628x378	480x275	6,2	31653	190,-
600x450	628x478	480x375	7,7	31658	213,-
700 x 300	728x328	580x225	6,4	31659	185,-
700 x 400	728x428	580x325	8,0	31660	217,-
700x450	728x478	580x375	8,7	31661	217,-
800x340	828x368	680x265	7,8	31656	203,-
800x400	828x428	680x325	8,9	31651	233,-
800x450	828x478	680x375	9,9	31655	233,-
900x450	928x478	780x375	10,8	31662	261,-
900x500	928x528	780x425	11,8	31663	272,-
960x450	988x478	840x375	11,4	31652	257,-
1000x500	1028x528	880x425	12,9	31664	294,-

RW Motion blackout system

OPTIONAL AVAILABLE	DARKENING PLISSEE	MOSQUITO-PROTECTION PLISSEE	MATERIAL FRAME: PVC
---------------------------	--------------------------	------------------------------------	----------------------------

Outer dim. W x H (mm)	Item no.	Price
567x407	316571	74,10
567x457	316501	86,20
567x557	316541	81,80
667x457	316531	79,60
667x557	316581	93,70
767x407	316591	85,-
767x507	316601	95,90
767x557	316611	90,40
867x447	316561	106,-
867x507	316511	108,-
867x557	316551	105,-
967x557	316621	102,-
967x607	316631	135,-
1027x557	316521	115,-
1067x607	316641	112,-



Tinted universal safety glass windows

SAFETY GLASS
LIGHTTHROUGH-TRANSMISSION: 18%
LEFT AND RIGHT MOUNT ABLE
CORNER RADIUS WINDOW-FRAME: 50 mm
E ECE R43

Outer dimension W x H (mm)	Transparency W x H (mm)	Window opening W x H (mm)	Weight (kg)	Item no.	Price
460x280	300x120	70x120	1,3	31720	217,-
500x350	340x190	105x190	1,7	31721	261,-
500x450	340x290	95x290	2,2	31722	264,-
600x350	440x190	160x190	2,1	31723	277,-
800x340	340x160	245x170	2,6	31724	256,-
800x450	640x290	250x290	3,5	31725	305,-
900x450	730x290	310x290	3,9	31726	316,-

NOTE: Allow at least 3 cm from each side for installation.

RW Style Slide and RW Style go well together on the vehicle, as they have the same look



Window including mounting frame.



OPTIONAL

Blackout system with privacy and mosquito screen pleated blind with magnetic closure.
NEW: With matt black frame and black pleated blinds in a very high-quality look.

Tinted acrylic glass sliding windows RW Style Slide

ACRYLIC GLASS
DOUBLE GLAZED
LIGHTTHROUGH-TRANSMISSION: 10%
UV RESISTANT
LEFT AND RIGHT MOUNT ABLE
MATERIAL FRAME: ALUMINIUM
FOR WALL-THICKNESS FROM 30-45 mm
E ECE R43

Detail W x H (mm)	Outer dim. W x H (mm)	Viewing approx. W x H (mm)	Window opening W x H (mm)	Weight (kg)	Item no.	Price
500x450	527x477	330x330	120x373	2,7	318022	250,-
700x300	727x327	520x180	220x223	2,6	318023	289,-
700x400	727x427	520x280	220x323	4,0	318024	305,-
900x450	927x477	720x330	320x373	4,8	318025	379,-
1000x500	1027x527	820x380	370x423	5,9	318026	408,-

RW Style Slide blackout system

OPTIONALLY AVAILABLE
DARKENING PLISSEE
MOSKITO-PROTECTION PLISSEE
MATERIAL FRAME: ALUMINIUM

Outer dim. W x H (mm)	Item no.	Price	Item no.	Price
528x478	3180010	87,10	3180012	103,-
728x328	31800130	91,50	31800132	108,-
728x428	3180020	95,90	3180022	114,-
928x478	3180030	119,-	3180032	125,-
1028x528	31800170	119,-	31800172	136,-

ACRYLGLASVENT WINDOW RW STYLE



Stainless steel levers

Window including mounting frame



Window closes outside flush with the frame



Additional safety-latch on Closure latch

RW Style and RW Style Slide can be combined well with each other on the vehicle, as they have the same appearance.

OPTIONALLY
Blackout system w/ privacy & mosquito protection blind w/ magnetic closure.
NEW: With matt black frame and black pleated blinds in a very high-quality look.

Acrylic glass hinged window RW Style

ACRYLIC GLASS	DOUBLE GLAZED	LIGHTTHROUGH-TRANSMISSION: 10%	DISK TO INSIDE CURVED	UV RESISTANT
WITH VENTILATION-POSITION	STAINLESS STEEL DISPLAY (STEPLESS)	MATERIAL FRAME: ALUMINIUM	FOR WALL-THICKNESS FROM 30-35 mm	ECE R43

Window frames with special integrated struts offers decisive advantages:

- Lower thermal conductivity
- Reduction of the Moisture compensation
- Reduces energy losses
- Has noise-reducing effect

RW Style blackout system

OPTIONALLY AVAILABLE	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: ALUMINIUM
-----------------------------	--------------------------	-----------------------------------	----------------------------------

Detail W x H (mm)	Outer dim. W x H (mm)	Review approx. W x H (mm)	Max. Opening	kg	Item no.	Price
350x500	377x527	295x425	70°	2,9	318009	196,-
460x220	487x247	405x145	37°	2,3	318010*	163,-
500x300	527x327	445x225	67°	2,6	318810	152,-
500x350	527x377	445x275	70°	3,1	318000	196,-
500x450	527x477	445x375	75°	3,4	318001	226,-
600x450	627x477	545x375	70°	3,9	318012	246,-
700x300	727x327	645x225	69°	3,4	318813	181,-
700x400	727x427	645x325	55°	4,1	318002	246,-
700x450	727x477	645x375	74°	4,4	318014	294,-
800x450	827x477	745x375	74°	4,9	318015	321,-
900 x 450	927x477	845x375	73°	5,4	318003	326,-
900x500	927x527	845x425	70°	5,8	318016	365,-
1000x500	1027x527	945x425	72°	6,3	318017	392,-
1000x800	1027x827	945x725	47°	8,8	318004	476,-
1100x450	1127x477	1045x375	72°	6,4	318005	351,-
1200x300	1227x327	1145x225	69°	5,4	318006	308,-
1200x500	1227x527	1145x425	70°	7,3	318007	399,-
1450x550	1477x577	1395x475	68°	9,2	318008	425,-

Outer dim. W x H (mm)	Item no.	Price	Item no.	Price
378x528	3180090	78,40	---	---
688x248	31800100	73,-	---	---
528x328	31800110	79,50	---	---
528x378	3180000	87,10	3180002	97,-
528x478	3180010	87,10	3180012	103,-
628x478	31800120	90,40	---	---
728x328	31800130	91,50	31800132	108,-
728x428	3180020	95,90	3180022	114,-
728x478	31800140	101,-	---	---
828x478	31800150	108,-	31800152	119,-
928x478	3180030	119,-	3180032	125,-
928x528	31800160	119,-	---	---
1028x528	31800170	119,-	31800172	136,-
1028x828	3180040	156,-	---	---
1128x478	3180050	141,-	---	---
1228x328	3180060	119,-	---	---
1228x528	3180070	137,-	3180072	141,-
1478x578	3180080	152,-	---	---

* Acrylglas-Ausstellfenster 318010 mit Kunststoff-Aussteller, 3-stufig.

i Please pay attention during installation of the windows to ensure that the Adhesive surfaces load-bearing, dust-, are free of adhesives and grease.




For the We recommend installing acrylic glass windows:

DEKaseal 8936

Can be used without primer. Dabable Sealant for window frames, open exterior surfaces, drains, skylights, hoses and cable ducts. Application on paints, aluminum, ABS, PMMA or wood.

310 ml Anthracite 50030	GP* 76,45/ 1 Liter	23,70
310 ml Black 500314	GP* 94,19/ 1 Liter	29,20

Technical product improvements possible in the course of the year. You can find detailed product descriptions at www.reimo.com



Exterior view



Stainless steel levers



Interior view



OPTIONALLY

Blackout system w/ privacy & mosquito protection blind w/ magnetic closure. NEW: With matt black frame and black pleated blinds in a very high-quality look.


RW Fusion, RW Compact and RW Van can be easily combined with each other on the vehicle as they have the same look.

RW Fusion

The innovation in vehicle window segment!
The RW Fusion window combines a real glass pane on the outside with an acrylic glass inner pane.

- Scratch-resistant real glass on the outside
- Highly insulating acrylic glass pane on the inside
- Best heat / cold insulation
- High-quality appearance thanks to concealed hinges
- Black aluminum frame with integrated struts offers low thermal conductivity, reduces moisture condensation, reduces energy losses, has a noise-reducing effect

Combination of Real glass and Acrylic glass pane:



*Explanatory image

Acrylic safety glass hinged window RW Fusion

ACRYLIC GLASS	SAFETY GLASS	DOUBLE GLAZED	LIGHTTHROUGH-TRANSMISSION: 30%	DISK TO INSIDE CURVED	UV RESISTANT	WITH VENTILATION-POSITION
STEEL LEVERS (STEPLESS)	MATERIAL FRAME: ALUMINIUM	FOR WALL-THICKNESS FROM 30-40 MM	INCL. MOUNTING FRAME	CORNER RADIUS WINDOW-FRAME: 75 mm	ECE R43	

Matching blackout system

OPTIONALLY AVAILABLE	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: ALUMINIUM
----------------------	-------------------	----------------------------	---------------------------

Detail W x H (mm)	Outer dim. W x H (mm)	Viewing approx. W x H (mm)	Max. Opening	(kg)	Item no.	Price
350x500	378x528	290x430	60°	3,0	318019	266,-
500x300	528x328	440x260	68°	2,9	318030	260,-
500x450	528x478	440x390	55°	4,5	318031	302,-
700x300	728x328	640x240	68°	4,0	318032	302,-
800 x 450	828x478	740x390	50°	6,1	318033	377,-
900 x 450	928x478	840x390	50°	6,9	318034	392,-

Outer dim. W x H (mm)	Item no.	Price	Item no.	Price
377x544	318901	85,-	318902	103,-
527x344	318911	86,-	318912	102,-
527x494	318921	98,-	318922	107,-
727x344	318931	98,-	318932	116,-
827x494	318941	112,-	318942	133,-
927x494	318951	116,-	318952	137,-



RW Compact, RW Fusion and RW Van can be easily combined with each other on the vehicle as they have the same look.

Window closes outside flush with the frame.

Product improvement 2025: Window including mounting frame.



Stainless steel levers



OPTIONAL

Blackout system w/ privacy & mosquito protection blind w/ magnetic closure. NEW: With matt black frame and black pleated blinds in a very high-quality look.

Window frames with specially integrated struts offer decisive advantages:

- Lower thermal conductivity
- Reduction of moisture condensation
- Reduces energy losses
- Has noise-reducing effect

Acrylic glass hinged window RW Compact

ACRYLIC GLASS	DOUBLE GLAZED	LIGHTTHROUGH-TRANSMISSION: 10%	DISK TO INSIDE CURVED	UV RESISTANT	WITH VENTILATION-POSITION
STAINLESS STEEL DISPLAY (STEPLESS)	MATERIAL FRAME: ALUMINIUM	FOR WALL-THICKNESS FROM 30-40 mm	INCL. MOUNTING FRAME	CORNER RADIUS WINDOW-FRAME: 75mm	

RW Compact blackout system

OPTIONALLY AVAILABLE	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: ALUMINIUM
----------------------	-------------------	----------------------------	---------------------------

Detail W x H (mm)	Outer dim. W x H (mm)	Viewing approx. W x H (mm)	Max. Opening	(kg)	Item no.	Price
350x500	378x528	290x430	73°	2,2	31890	196,-
500x300	528x328	440x260	77°	2,1	318910	196,-
500x350	528x378	440x290	38°	2,2	31901	205,-
500x450	528x478	440x390	65°	2,8	31892	236,-
600x450	628x478	540x390	68°	3,4	31899	232,-
700x300	728x328	640x240	77°	2,9	318913	233,-
700 x 400	728x428	640x340	52°	3,5	31900	238,-
700 x 450	728x478	640x390	68°	3,6	31902	272,-
800 x 450	828x478	740x390	66°	4,2	31894	311,-
900 x 450	928x478	840x390	70°	4,7	31895	316,-
900 x 500	928x528	840x440	70°	5,0	31896	321,-
1000x500	1028x528	940x440	72°	5,4	31897	334,-

Outer dim. W x H (mm)	Item no.	Price	Item no.	Price
377x544	318901	85,-	318902	103,-
527x344	318911	86,-	318912	102,-
527x394	319011	86,-	319012	101,-
527x494	318921	98,-	318922	107,-
627x494	318991	99,20	318992	118,-
727x344	318931	98,-	318932	116,-
727x444	319001	105,-	319002	123,-
727x494	319021	129,-	319022	109,-
827x494	318941	112,-	318942	133,-
927x494	318951	116,-	318952	137,-
927x544	318961	119,-	318962	141,-
1027x544	318971	119,-	318972	148,-



RW Compact, RW Fusion and RW Van can be easily combined with each other on the vehicle as they have the same look.

The curved aluminum frame (Radius: 5000 mm) adapts perfectly to contour of the vehicle.

Window closes outside flush with the frame.

Product improvement 2025: Window including mounting frame.



Stainless steel levers



Window frames with specially integrated struts offer decisive advantages:

- Lower thermal conductivity
- Reduction of moisture condensation
- Reduces energy losses
- Has noise-reducing effect

OPTIONAL

Blackout system w/ privacy & mosquito protection blind w/ magnetic closure. NEW: With matt black frame and black pleated blinds in a very high-quality look.

Acrylic glass hinged window RW Van

ACRYLIC GLASS	DOUBLE GLAZED	LIGHTTHROUGH-TRANSMISSION: 10%	DISK TO INSIDE CURVED	UV RESISTANT	WITH VENTILATION-POSITION
STAINLESS STEEL DISPLAY (STEPLESS)	MATERIAL FRAME: ALUMINIUM	FOR WALL-THICKNESS FROM 30-40 mm	INCL. MOUNTING FRAME	CORNER RADIUS WINDOW-FRAME: 75mm	ECE R43

RW Van blackout system

OPTIONALLY AVAILABLE	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: ALUMINIUM
----------------------	-------------------	----------------------------	---------------------------

Detail W x H (mm)	Outer dim. W x H (mm)	Viewing approx. W x H (mm)	Max. Opening	(kg)	Item no.	Price
280x380	308x407	225x325	50°	1,7	31911	234,-
350x500	377x527	295x445	70°	2,6	31929	281,-
490x500	518x527	435x445	69°	3,0	31912	268,-
500x300	528x327	445x245	70°	3,1	319240	250,-
500x500	528x527	445x445	72°	3,0	31919	283,-
600x450	628x477	545x395	69°	3,3	31917	294,-
600x600	628x627	545x545	72°	4,0	31925	323,-
750x455	778x477	695x400	66°	3,9	31913	310,-
800x500	828x527	745x445	72°	4,5	31927	362,-
818x315	846x342	763x260	68°	3,3	319140	290,-
900 x 400	928x427	845x345	50°	4,2	31918	392,-
900x450	928x477	845x395	66°	4,4	31916	363,-
900x500	928x527	845x445	70°	4,9	31928	366,-
960x450	988x477	905x395	68°	4,8	31910	379,-
985x465	1013x482	930x410	67°	5,1	31915	420,-
1100x600	1128x627	1045x545	71°	6,7	31926	450,-

Outer dim. W x H (mm)	Item no.	Price	Item no.	Price
307x420	319111	97,-	319112	114,-
377x540	319291	155,-	319292	141,-
517x540	319121	126,-	319122	141,-
527x340	319241	121,-	319242	133,-
527x540	319191	126,-	319192	149,-
627x490	319171	109,-	319172	129,-
627x640	319251	141,-	319252	145,-
777x495	319131	159,-	319132	174,-
827x540	319271	137,-	319272	161,-
845x355	319141	128,-	319142	133,-
927x440	319181	139,-	319182	163,-
927x490	319161	152,-	319162	150,-
927x540	319281	147,-	319282	163,-
987x490	319101	154,-	319102	177,-
1012x505	319151	168,-	319152	185,-
1127x640	319261	228,-	319262	176,-

Technical product improvements possible in the course of the year. You can find detailed product descriptions at www.reimo.com



Window closes outside flush with the frame



OPTIONALLY
Blackout system with privacy and Mosquito protection blind with magnetic closure

Acrylic glass hinged window Comfort

ACRYLIC GLASS	DOUBLE GLAZED	LIGHTTHROUGH-TRANSMISSION: 40%	DISK TO INSIDE CURVED	UV RE-SISTANT
WITH VENTILATION-POSITION	MATERIAL FRAME: ALUMINIUM	FOR WALL-THICKNESS FROM 28-32 mm	CORNER RADIUS WINDOW-FRAME: 75 mm	ECE R43

Blackout system Comfort

OPTIONALLY AVAILABLE	DARKENING PLISSEE
MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: ALUMINIUM

Detail W x H (mm)	Outer dim. W x H (mm)	Viewing W x H (mm)	Max. Opening (degree)	Exhibitor (2 pcs.)	Weight (kg)	Item no.	Price	Outer dim. W x H (mm)	Item no.	Price
350x500	380x530	295x425	70°	Stainless steel stepless	1,9	318100	168,-	392x542	3181000	91,80
500x300	530x330	445x225	2/17/30°	Plastic 3 level	1,9	318101	152,-	542x342	3181001	83,90
500x350	530x380	445x275	2/17/30°	Plastic 3 level	2,0	318102	168,-	542x392	3181002	92,-
500x450	530x480	445x375	70°	Stainless steel stepless	2,1	318103	199,-	542x492	3181003	98,-
600x450	630x480	545x375	70°	Stainless steel stepless	2,4	318104	232,-	642x492	3181004	124,-
700x300	730x330	645x225	2/17/30°	Plastic 3 level	2,5	318105	199,-	742x342	3181005	109,-
700 x 400	730x430	645x325	70°	Stainless steel stepless	2,6	318106	236,-	742x442	3181006	116,-
700 x 450	730x480	645x375	70°	Stainless steel stepless	2,7	318107	264,-	742x492	3181007	123,-
800 x 450	830x480	745x375	70°	Stainless steel stepless	3,0	318108	288,-	842x492	3181008	124,-
900 x 450	930x480	845x375	70°	Stainless steel stepless	3,2	318109	300,-	942x492	3181009	140,-
900 x 500	930x530	845x425	70°	Stainless steel stepless	3,4	318110	343,-	942x542	3181010	159,-
1000x500	1030x530	945x425	70°	Stainless steel stepless	3,6	318111	373,-	1042x542	3181011	156,-



INCLUSIVE
Blackout system with privacy and Mosquito protection blind with magnetic closure



Classic acrylic glass hinged window

ACRYLIC GLASS	DOUBLE GLAZED	LIGHTTHROUGH-TRANSMISSION: 40%	DISK TO OUTSIDE CURVED	UV RESISTANT
EXHIBITOR WITH FIXED-SCREW	MATERIAL FRAME: ASA	FOR WALL-THICKNESS FROM 28-32 mm	CORNER RADIUS WINDOW-FRAME: 12 mm	E ECE R43

Detail W x H (mm)	Outer dim. W x H (mm)	Viewing approx. W x H (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
500 x 300	529 x 329	375x175	32°	2	318581	316,-
500 x 350	529 x 379	375x225	60°	3,7	318580	305,-
500 x 450	529 x 479	375x325	70°	4,2	31858	298,-
700 x 400	729x429	575x275	70°	5,5	31859	348,-
900x450	929x479	775x325	70°	7,0	31857	362,-
900x550	929x579	775x425	70°	8,0	318582	445,-
1100x450	1129x479	975x325	70°	8,5	31855	435,-
1200x500	1229x529	1075x375	78°	9,5	31868	510,-
1450x550	1479x579	1375x425	70°	13,0	31869	677,-

Classic blackout system

IN SUPPLY-SCOPE INCLUDED	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: PLASTIC
--------------------------	-------------------	----------------------------	-------------------------

Window closes outside flush with the frame



Elegance acrylic glass hinged window

ACRYLIC GLASS	DOUBLE GLAZED	LIGHTTHROUGH-TRANSMISSION: 40%	DISK TO INSIDE CURVED	UV RESISTANT	WITH VENTILATION-POSITION
EXHIBITOR WITH FIXED-SCREW	MATERIAL FRAME: ASA	FOR WALL-THICKNESS FROM 28-32 mm	CORNER RADIUS WINDOW-FRAME: 12 mm	E ECE R43	

INCLUSIVE
Blackout system with privacy and mosquito protection pleated blind with magnetic closure




Detail W x H (mm)	Outer dim. W x H (mm)	Viewing approx. W x H (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
500 x 350	529 x 379	400x265	45°	3,2	318500	305,-
500 x 450	529 x 479	400x365	45°	3,75	318501	344,-
1000x800	1029x829	900x715	50°	12,4	318506	692,-
1100x450	1129x479	1000x365	45°	7,05	318503	500,-
1200x300	1229x329	1100x215	12°	7,67	318504	459,-
1200x500	1229x529	1100x415	45°	8,09	318505	555,-

Elegance blackout system

IN SUPPLY-SCOPE INCLUDED	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: PLASTIC
--------------------------	-------------------	----------------------------	-------------------------

Technical product improvements possible in the course of the year. You can find detailed product descriptions at www.reimo.com

NEW



Fastened using four screws in the inner frame



Aluminum profiles with click fastener conceal the mounting screws

UniFrame - Window inner frame with blackout and mosquito blind

- DARKENING
PLISSEE
- MOSKITO-
NET ROLLER
BLACK
- MATERIAL
FRAMEWORK:
ALUMINIUM
- COLOR:
BLACK
MATT

Blackout system with privacy and Mosquito blind with magnetic closure

The UniFrame window inner frame is available in 5 different sizes and can be used for almost all vehicle windows of the same size. Equipped with a pleated blackout blind and mosquito blind, it offers privacy in the vehicle and protects against annoying insects. The frame is screwed to all four corners of the vehicle using suitable screws (included in the scope of delivery). Aluminum profiles in matt black conceal the mounting holes and create a high-quality look without visible screws. Four spacer profiles are included in the scope of delivery.

Window cut-out dimension W x H (mm)	Outer dim. W x H (mm)	Internal dims. W x H (mm)	Item no.	Price
500x300	530x360	447x219	37849	95,90
500x450	530x510	447x369	37845	104,-
700x300	730x360	647x219	37846	113,-
800x450	830x510	747x369	37847	130,-
900x450	930x510	847x369	37848	139,-

NEW



UnderCover - Universal window inner frame with pleated blackout blind and mosquito blind for concealed mounting

- DARKENING
PLISSEE
- MOSKITO-
PROTECTION
NETWORK
ROLLO
- MATERIAL
FRAME:
ALUMINIUM

Blackout system with privacy and Mosquito blind with magnetic closure

The UnderCover window inner frame was specially developed for concealed installation behind a vehicle interior panel or a self-made inner frame. This means that the UnderCover inner frame can be installed almost invisibly in the vehicle and can be individually clad as desired. The height of the system can be adjusted as required (Reimo recommends adjustment by a specialist dealer). The pleated blackout blind and the mosquito net blind offer privacy in the vehicle and protect against insects. Color aluminum frame: Silver, color blackout pleated blind: White.



Assembly example:
The illustration shows the undercover window inner frame behind an interior panel. The panel is not included in the scope of delivery.

Window cut-out dimension W x H (mm)	Outer dim. W x H (mm)	Internal dims. W x H (mm)	Item no.	Price
500x500	536x555	462x424	37822	101,-
700x500	736x555	662x424	37823	116,-
800x500	836x555	762x424	37824	124,-
900x500	936x555	862x424	37825	130,-



Acrylic glass window Acrylight

ACRYLIC GLASS	DOUBLE GLAZED	LIGHT THROUGH TRANSMISSION: 17%	DISK TO INSIDE CURVED	UV RESISTANT
WITH VENTILATION POSITION	MATERIAL FRAME: ASA	FOR WALL THICKNESS FROM 24 mm UNTIL 34 mm	CORNER RADIUS WINDOW-FRAME: 15 mm	ECE R43

- Elegant design thanks to hidden window hinge
- Pane closes flush with the frame on the outside
- Tinted window for more privacy
- For wall thicknesses from 24 mm to 34 mm
- Including inner frame with pleated blackout blind and mosquito net
- Mounting clamps included in the scope of delivery
- Cover frame (inside) optionally available in cream white and black

With a unique concealed hinge and flat outer glass, the Acrylight acrylic window from Acryform fits perfectly into your vehicle.

Elegant and aerodynamic, the gray-tinted acrylic glass pane is flush with the window frame. The inner frame with pleated blackout blind offers maximum privacy and the mosquito net provides reliable protection.

The Windows are supplied without cover frames.



Exterior view



Interior view

Detail W x H (mm)	Outer dim. W x H (mm)	Viewing W x H (mm)	Max. Opening	(kg)	Item no.	Price
350x500	396x547	234x359	80°	3,0	31112	370,-
700x300	744x348	582x161	25°	3,7	31113	403,-
800x450	844x497	682x309	80°	5,4	31114	493,-
700x500	744x547	582x359	80°	5,3	31115	486,-
900x600	950x646	784x458	80°	7,3	31116	653,-



Elegant design thanks to concealed window hinge

Cover frame for Acrylight windows

Chic design also in the vehicle interior. Choose from two cover frames (cream white and black) to cover the inner window frame.

Cut-out W x H (mm)	(kg)	Item no.	Price	Item no.	Price
350x500	0,5	311121	75,10	311120	76,20
700x300	0,7	311131	78,40	311130	78,40
800x450	0,8	311141	88,20	311140	88,20
700x500	0,9	311151	85,-	311150	85,-
900x600	1,1	311161	97,-	311160	97,-





S4 acrylic glass sliding window with blackout blind and mosquito protection

- With insect screen and blackout
- No thermal bridges
- Double-glazed, optimum thermal insulation
- Gray tinted acrylic glass
- Telescopic stay and security window latch
- For wall thicknesses from 26 to max. 53 mm
- Outer frame black (RAL 9005), inner frame cream white (RAL 9001)

Pane dimension WxH	Cut-out dimension: WxH	Item no	Price
668x332	700x400	31253	584,-
668x484	700x550	31257	708,-
668x534	700x600	31259	741,-
768x282	800x350	31265	595,-
868x334	900x400	31271	686,-
968x434	1000x500	31281	850,-
1268x534	1300x600	31295	1144,-



S4 acrylic glass opening window with blackout blind and mosquito protection

- With insect screen and blackout
- Gray tinted acrylic glass
- Telescopic stay and security window latch
- Outer frame black (RAL 9005), inner frame cream white (RAL 9001)

S4 vent window

Dimension over all WxH	Cut-out dimension: WxH	Art. no.	Price
594x581	550x550	31195	616,-
745x481	700x550	31204	708,-
745x631	700x600	31205	708,-
948x631	900x600	31215	817,-

Replacement pane gray glass

Panesmeasured	Art. no.	Price	Panesmeasured	Art. no.	Price
468x382	31533	243,-	868x334	31551	311,-
518x484	31535	299,-	868x382	31552	310,-
668x332	31542	260,-	868x534	31555	350,-
668x484	31544	317,-	968x382	31556	328,-
668x534	31545	312,-	968x434	31557	352,-
718x534	31548	318,-	968x534	31559	367,-
768x282	31549	278,-	1268x534	31572	434,-
768x382	31550	276,-	1418x534	31574	446,-



S7P acrylic glass vent window for panel vans with slightly curved outer surface

- Flush-fitting pane
- Camber radius 5000 mm
- Excellent thermal insulation
- Double acrylic glazing, dark tinted
- Lightweight aluminum frame
- For wall thicknesses from 22 to 43 mm
- Stepless levers
- Optional blackout system available

Cutout dim. W x H (mm)	Overall dim. W x H (mm)	Light measure W x H (mm)	Weight (kg)	Item no.	Price
280 x 380	308 x 408	230 x 330	2,9	31351	490,-
280 x 380	308 x 408	230 x 330	2,9	313510 (Opal)	596,-
560 x 465	588 x 493	510 x 415	4,5	31349	529,-



PolyVision acrylic vent window
CURVED (curved) or AERO (straight)

- Black, high-quality aluminum frame
- With tinted window for more privacy
- For wall thicknesses from 24-44 mm
- Please order mounting clamps directly
- Windows are supplied without inner frames

PolyVision CURVED - curved design Radius 4991 mm for panel vans

Cut-out dimension (WxH) mm	Weight (kg)	Art. no.	Price	Required Mounting clamps (pcs.)
900x550	5,9	31120	719,-	12
520x315	2,5	31121	442,-	8
750x465	4,4	31122	535,-	10
490x500	3,3	31123	507,-	10
258x396	1,7	31124	451,-	8
686x298	2,9	31125	492,-	10
280x380	1,7	31126	419,-	8
220x380	1,4	31127	402,-	8
818x315	3,6	31128	500,-	10

Mounting clamps Scope of delivery: 1 pc.

Wall thicknesses from 24-33 mm	39001	2,75
Wall thicknesses of 33-36 mm	39002	2,75
Wall thicknesses from 38-45 mm	39003	2,75
Screw (one screw is required per mounting bracket)	39004	0,80



PolyVision AERO - straight design for flat wall, flush design double thermoformed

Cut-out dimension (WxH) mm	Weight (kg)	Art. no.	Price	Required Mounting clamps (pcs.)
700x520	4,5	31130	573,-	12
900x520	5,6	31131	668,-	12
700x400	3,7	31132	552,-	10
600x560	4,2	31133	566,-	10
600x450	3,6	31134	548,-	8
600x550	4,2	31135	548,-	10
500x400	2,8	31136	488,-	8
500x520	3,5	31137	532,-	10
900x500	5,5	31138	662,-	12
800x450	4,6	31139	595,-	10

Premium Safety glass sliding window for Volkswagen Transporter 6/5, Mercedes-Benz Vito, Ford Transit Custom



- High-quality workmanship and a perfect fit
- Flush with the vehicle body
- Sliding sash closes flush with the glass frame
- Wide metal window lock

Volkswagen Transporter 5 / 6 > 2004

Position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price
short/long		1136x581	8,0	31861	673,-

Mercedes-Benz Vito > 2015

Position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price
short/long		1108x569	7,5	31863	674,-
short/long		1108x569	7,5	31862	674,-

Ford Transit Custom > 2013

Position	Wheelbase	Outer dim. W x H (mm)	Weight (kg)	Item no.	Price
short/long		1200x560	8,5	31865	744,-



Window pane and glass frame close flush on the outside

Window lock over the entire window height

CURTAIN-TYPE ACRYLIC GLASS DISPLAY WINDOWS FOR PANEL VANS



The curved acrylic glass (Radius: 5800 mm) adapts perfectly to the vehicle contour



OPTIONALLY
Blackout system with privacy and Mosquito protection blind with magnetic closure

Acrylic glass Hinged window RW Rear

ACRYLIC GLASS	DOUBLE GLAZED	LIGHT THROUGH-TRANSMISSION: 10%	DISK TO OUTSIDE CURVED
UV RESISTANT	3 LEVELS-ADJUSTER	FRAME-LESS	ECE R43


Detail W x H (mm)	Outer dim. W x H (mm)	Max. Opening (degree)	Weight (kg)	Item no.	Price
260x560	340x653	60°	1,6	31920	191,-
735x560	814x653	60°	4,6	31922	266,-
970x560	1050x653	60°	5,8	31923	300,-
620x560	700x653	60°	4,1	31921	204,-

RW Rear blackout system

OPTIONALLY AVAILABLE	DARKENING PLISSEE	MOSKITO-PROTECTION PLISSEE	MATERIAL FRAME: ALUMINIUM
-----------------------------	--------------------------	-----------------------------------	----------------------------------

Outer dim. W x H (mm)	Item no.	Price
347x669	319201	138,-
822x669	319221	138,-
1057x669	319231	174,-
707x669	319211	129,-

Does not fit the 270° door hinges (Fiat Ducato). Not suitable for replacing the original glazing.



Order at the same time:

- ① **Sealing rubber profile self-adhesive, for curtain wall windows**
For wall thicknesses of 28-32 mm. Self-adhesive. Colour: Black
- | | | | |
|------|---------------|---------|-------|
| 4 m | GP* 16,32/1 m | 322704 | 65,30 |
| 40 m | GP* 15,25/1 m | 3227040 | 610,- |
- ② **Filler profile for rubber sealing profile 322704/3227040**
Colour: grey, dims.: 23 mm x 0.9 mm.
- | | | | |
|------|--------------|--------|-------|
| 10 m | GP* 1,35/1 m | 322730 | 13,50 |
|------|--------------|--------|-------|



Opening window for Fiat Ducato, Peugeot Boxer and Citroën Jumper > 7/2006

- Optimally adapted to contour of the vehicle
- Very good privacy protection due to black tint
- Low loss of brightness in the interior
- No protruding fittings - maximum possible safety
- Thermal protection through acrylic insulating glazing

Scope of delivery: Window with exhibitor, bolt catches and rubber profile

- ① **Sliding door window** 1051 x 650 mm for cut-out dims. 985 x 465 mm, 2 locking bolts
- | | |
|-------|-------|
| 32200 | 512,- |
|-------|-------|
- Side window** (not shown) 816 x 650 mm for cut-out dimension 750 x 465 mm, 2 locking bolts
- | | |
|-------|-------|
| 32204 | 335,- |
|-------|-------|
- ② **Side frames** 566 x 650 mm for cut-out size 500 x 520 mm. 2 locking latch
- | | | |
|-----------|-------|-------|
| 32201 | 299,- | |
| Milchglas | 32202 | 314,- |
- ③ **Rear window** 816 x 650 mm for cut-out dim. 550 x 490 mm. 1 locking bolt
- | | |
|-------|-------|
| 32203 | 369,- |
|-------|-------|

These windows are suitable for panel vans (not suitable for replacing original glazing). Rear window does not fit w/ the 270° door hinges.



① Aluminum high roof hinged window

- Ideal for alcoves or high roofs
- Sturdy aluminum frame
- Safety glass pane without tint
- Angle of swing max. 90
- Aluminum display with manual locking screw
- Wall thicknesses from 30-35 mm, cut-out dimensions 460 x 160 mm

Frame color black	34435	319,-
② Window display, Length 20 cm	34475	20,60
Replacement sash (without illustration)	34433	244,-



With sealing rubber

Real glass sliding windows

- Black aluminum frame
- Grey tinted pane, single glazed
- Usable left and right
- Corner radius: 85R

Cut-out dim. W x H (mm)	Overall dim. W x H (mm)	app. weight	item no.	Price
400 x 300	433 x 333	3,1 kg	31610	207,-
800 x 400	833 x 433	6,9 kg	31850	257,-
960 x 450	993 x 483	8,8 kg	31612	268,-
600 x 250	633 x 283	3,8 kg	31613	268,-
500 x 450	533 x 483	5,1 kg	31614	239,-
800 x 450	833 x 483	7,5 kg	31615	261,-
800 x 340	833 x 373	6,1 kg	31616	250,-



CARBEST

Sliding window for horse trailers - RW TRAILER

Window for horse trailers with protective grid, provides ventilation as well as protection from insects due to integrated mosquito net. Lockable and lockable from the outside. For 40 mm wall thickness, corner radius 100 mm.

Width 790 mm, height 515 mm **31970** **381,-**



Rear window insert for Volkswagen Transporter 5/6

- Rear window insert made of GRP
- For good ventilation in the sleeping area
- Window cut-out compatible with Dometic S7P window 960x450 mm

Rear window insert		
Volkswagen Transporter 6 RAL9011	21720	409,-
Volkswagen Transporter 5 RAL9011	21721	409,-

Carbest RW Van vent windows can be used with a few installation adjustments.

RW Van vent window 960x450 mm	31910	379,-
---	-------	-------

RW VAN blackout system		
Color white, 987x490 mm	319101	154,-
Color black, 987x490 mm	319102	177,-

A suitable substructure must be created before installing the blackout system. Delivery only via a Reimo specialist dealer.

CARBEST

① Porthole - RW NAUTIC Ø 295 mm

- Tinted acrylic
- Double glazed
- UV-resistant
- Powder coated aluminum frame, black
- For wall thicknesses of 40 mm



Rigid version (cannot be opened), outer Ø: 323 mm, window Ø: 295 mm. Weight: approx. 1.4 kg.
32263 **61,-**

② Darkening system for RW NAUTIC

with privacy and Mosquito protection pleated blind with magnetic closure. Aluminum frame, white. Overall dims.: 374x318 mm, weight: app. 1 kg
322631 **77,30**



Portholes rigid or hinged

- Double glazed, Glass color: Grey

③ Fixed porthole incl. rubber profile for clean internal finish

For wall thickness 25-27 mm.
Ø 282 mm, cut-out dimension: 300 mm **32260** **136,-**
Ø 362 mm, cut-out dimension: 380 mm **32261** **160,-**



④ Opening porthole

Dims.: 404 x 426 mm, cut-out dim.: 350 mm, suitable for wall thickness: 28-32 mm, incl. upper hinge strip + 1 exhibitor, with fine screen printing around the edge
32265 **275,-**



⑤ Porthole exhibitor 32265

Length approx. 19 cm **32278** **32,60**

